



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/995,300	11/27/2001	Tim G. Kirk	21315-301	9001

7590

09/29/2004

Oppenheimer Wolff & Donnelly LLP
Suite 3300
45 South Seventh Street
Minneapolis, MN 55402-1609

EXAMINER

HWANG, VICTOR KENNY

ART UNIT	PAPER NUMBER
----------	--------------

3764

DATE MAILED: 09/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/995,300

Applicant(s)

KIRK ET AL. *cnv*

Examiner

Victor K. Hwang

Art Unit

3764

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 November 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 and 11-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 and 11-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 November 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☒ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 2.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION***Drawings***

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the “variable resistance valve” (claim 7) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled “Replacement Sheet” in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-6 and 11-13 are rejected under 35 U.S.C. 102(b) as being anticipated by *Dye et al.* (US Pat. 4,029,087). *Dye et al.* discloses a device (Fig. 12) comprising at least two chambers 24a,24d in fluid communication with each other. A port 78 permits the introduction of fluid into at least one of the chambers. The port is connected to a valve 30. The chambers can be formed by heat sealing sheet(s) of PVC together to form the peripheral seam and dividing walls 64. Gaps 92,94,96 are located in the dividing walls to provide passages for the fluid to flow between chambers. Three dividing walls separate the two chambers 24a,24d. Gaps are located at different points along the dividing walls, including opposing ends, and essentially can be placed anywhere along the dividing walls. The PVC material is fully capable of having advertising material printed thereon or affixed thereto.

4. Claims 1, 2 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by *Hribar* (US Pat. 4,146,222). *Hribar* discloses an exercise device comprising at least two chambers 4 in fluid communication with each other. Valves 11 and 12 permit air to be introduced into the chambers. A variable resistance valve 15 is provided between the chambers to regulate the fluid flow between the chambers.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 8, 9 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Dye et al.* (US Pat. 4,029,087). *Dye et al.* has been discussed above, and such discussion is incorporated herein. *Dye et al.* discloses the invention as claimed except for the PVC material being 200 micron laminated PVC. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use 200 micron laminated PVC, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Pollock (US Pat. 5,050,870) and *Jull et al.* (US Pat. 5,338,276) disclose exercise devices comprising two or more chambers separated by multiple dividers having gaps to permit fluid flow between the chambers, and valves for introducing fluid into the chambers.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Victor K. Hwang whose telephone number is (703) 308-2865 until Nov. 2, 2004. After Nov. 2, the new telephone number will be (571) 272-4976. The examiner can normally be reached Monday through Friday from 7:30 AM to 4:00 PM Eastern time.

The facsimile number for submitting papers directly to the examiner for informal correspondence is (703) 746-4891 until Nov. 2, 2004. After Nov. 2, the new informal fax number will be the same as my telephone number, (571) 272-4976. The facsimile number for submitting all formal correspondence at this time is (703) 872-9306.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine R. Yu can be reached on 703-308-2675.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Victor K. Hwang
September 28, 2004



JUSTINE R. YU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

9/28/04